

Dual

WWW.DUAL.DE

# DUAL CS 418

MANUAL HI-FI-TURNTABLE





## DUAL CS 418

### MANUAL HI-FI-TURNTABLE

Emphasis on high component precision is a feature of the entire range of Dual products. This is the case for the entry model CS 418, which uses the same platform as the higher models in the product range.

The Ortofon 2M Red pickup and a switchable MM-phonopre-amplifier are an integral part of this ready to run package.

The CS 418 is not attractive just because it is excellent value for money, but it also offers a superb and compelling balanced sound experience and a 5 year warranty for long term ownership.



- ▲▲ Durable platterbearing for long-term enjoyment.
- ▲ Motor fitted with rubber damping to for maximum silence.
- ◀ The manual Dual player.

## DETAILS:



### **Plinth: Solid MDF**

- Folded MDF construction with a black vinyl veneer
- Elastomer vibration absorber integrated inside the feet
- Removable dustcover



### **Platter: Aluminium Die-cast**

- Precise aluminium die-cast
- Heavy rubber mat for resonance damping
- Solid platterbearing with a hardened steel spindle in a brass bushing



### **Tonearm: Straight, statically balanced**

- Solid aluminum construction with ball-bearings
- Damped tonearm lift
- Adjustable tracking force and antiskating



### **Drive: DC- Motor / Belt**

- Low vibration DC-Servo-Motor
- Rubber mountings for vibration decoupling
- Precision cut belt for lower wow & flutter



# TECHNICAL DATA - DUAL CS 418

## Drive:

Drive:	Belt
Speed settings:	33/45/78
Wow & Flutter:	< ±0,1 % (DIN WTD)

## Platter:

Material:	Aluminium die-cast
Mat:	Rubber 2,5 mm
Bearing:	Hardened steel spindle Brass bushing
Diameter:	305 mm
Weight (incl. Mat):	850 g

## Tonearm:

Auto-Start/-Stop-Function:	X
Bearing:	Ball-bearing
Effective length:	221,5 mm
Offset Angle:	25,6°
Overhang:	19 mm
Type:	statically balanced
Stylus Pressure Range:	0 g to 4 g
Cartridge Weight Range:	5 g to 9 g
Factory installed pick up:	Ortofon 2M Red

## Plinth:

Material:	MDF, folded
Surface finish:	Vinyl veneer / Black
Feet:	Ø 62 mm / Elastomer
Connection:	RCA socket
Connection to Phono Input:	Yes
Connection to Line Input:	Yes
Digital Output:	X
Dimension, closed dustcover:	435 x 367 x 145 mm
Dimension, open dustcover:	T: 415 mm / H: 400 mm
Weight:	5,8 kg



WWW.DUAL.DE



Dual